

# Metabolic Product Formulary

## SUMMARY OF PRESCRIBABLE METABOLIC PRODUCTS AVAILABLE IN NHS GREATER GLASGOW & CLYDE

The quantity of all nutritional products used in the management of metabolic disorders, are determined by the Metabolic Specialist Team managing the patient. Other nutritional products may be required for the management of this patient group, further information can be found within the NHSGGC Low Protein food Formulary [http://www.ggcprescribing.org.uk/media/uploads/other\\_formularies/low\\_protein\\_formulary\\_final\\_21102016.pdf](http://www.ggcprescribing.org.uk/media/uploads/other_formularies/low_protein_formulary_final_21102016.pdf) and the NHSGGC Infant and Paediatric Oral and Enteral Nutrition Formulary [http://www.ggcprescribing.org.uk/media/uploads/other\\_formularies/infant\\_and\\_paediatric\\_oral\\_and\\_ental\\_nutrition\\_formulary\\_final\\_21102016\\_\(2\).pdf](http://www.ggcprescribing.org.uk/media/uploads/other_formularies/infant_and_paediatric_oral_and_ental_nutrition_formulary_final_21102016_(2).pdf)

### Phenylketonuria (Pages 5-10)

- PKU Anamix<sup>®</sup> Infant
- PKU Anamix<sup>®</sup> First Spoon
- PKU Anamix<sup>®</sup> Junior
- PKU Anamix<sup>®</sup> Junior LQ
- Lophlex<sup>®</sup>
- PKU Lophlex<sup>®</sup> LQ 10
- PKU Lophlex<sup>®</sup> LQ 20
- PKU Lophlex<sup>®</sup> Sensation 20
- Phlexy-10<sup>®</sup> Exchange System
- PK Aid-4<sup>®</sup>
- Add-Ins<sup>®</sup>
- Easiphen<sup>®</sup>
- XP Maxamaid<sup>®</sup>
- XP Maxamum<sup>®</sup>
- PKU Squeezeie<sup>®</sup>
- PKU Gel<sup>®</sup>
- PKU Cooler10<sup>®</sup>
- PKU Cooler15<sup>®</sup>
- PKU Cooler20<sup>®</sup>
- PKU Express15<sup>®</sup>
- PKU Express20<sup>®</sup>
- PKU Air 15<sup>®</sup>
- PKU Air 20<sup>®</sup>
- XPhe Jump 10<sup>®</sup>
- XPhe Jump 20<sup>®</sup>
- L-Tyrosine

---

Red: to be removed

Blue: to be added in

□ Specialist Secondary Care use only

**Other Inborn errors of metabolism  
(Pages 11-14)**

- S.O.S. 10
- S.O.S. 15
- S.O.S. 20
- S.O.S. 25
- Basecal100
- Basecal200

- Energivit<sup>®</sup>
- EAA<sup>®</sup> Supplement
- DocOmega<sup>®</sup>
- KeyOmega<sup>®</sup>
- Cystine500<sup>®</sup>
- Valine50<sup>®</sup>
- UCD Amino 5<sup>®</sup>

- Isoleucine50<sup>®</sup>
  - Leucine100<sup>®</sup>
  - Phenylalanine50<sup>®</sup>
  - Tyrosine1000<sup>®</sup>
  - Infasoy<sup>®</sup>
  - Wysoy<sup>®</sup>
- 

**Vitamin Supplements (Page 15)**

- Fruitivits<sup>®</sup>

- Phlexy-Vits<sup>®</sup>

- Paediatric Seravit<sup>®</sup>
- 

**Miscellaneous Page (Page 16)**

- FlavourPac

- Modjul<sup>®</sup> Flavour Powder

- Flavour Mix
- 

**Milk Replacements (Page 17)**

- Loprofin<sup>®</sup> PKU Drink

- Loprofin<sup>®</sup> Sno-Pro

- Prozero<sup>®</sup>
- 

**Glutaric Aciduria (Pages 18-19)**

- GA1 Anamix<sup>®</sup> Infant
- XLYS, TRY Glutaridon<sup>®</sup>
- XLYS,Low TRY,Maxamaid<sup>®</sup>

- GA Gel<sup>®</sup>
  - GA amino5<sup>®</sup>
- 

**Glycogen storage disease (Page 20)**

- Glycosade<sup>®</sup>
-

**Homocystinuria or hypermethioninaemia  
(Pages 21-24)**

- HCU Anamix<sup>®</sup> Infant
  - HCU Lophlex<sup>®</sup> LQ 20
  - HCU LV<sup>®</sup>
  - XMET Homidon<sup>®</sup>
  - XMET Maxamaid<sup>®</sup>
  - XMET Maxamum<sup>®</sup>
  - HCU gel<sup>®</sup>
  - HCU Cooler<sup>®</sup> 10
  - HCU Cooler<sup>®</sup> 15
  - HCU Cooler<sup>®</sup> 20
  - HCU Express<sup>®</sup> 15
  - HCU Express<sup>®</sup> 20
- 

**Hyperlysinaemia (Page 25)**

- HYPER LYS Anamix<sup>®</sup> Infant
  - XLYS Maxamaid<sup>®</sup>
- 

**Isovaleric acidaemia (Page 26)**

- IVA Anamix<sup>®</sup> Infant
  - XLEU Faladon<sup>®</sup>
  - XLEU Maxamaid<sup>®</sup>
- 

**Maple Syrup Urine Disease (Pages 27-30)**

- MSUD Anamix<sup>®</sup> Infant
  - MSUD Anamix<sup>®</sup> Junior
  - MSUD Anamix<sup>®</sup> Junior LQ
  - MSUD Aid III<sup>®</sup>
  - MSUD Lophlex<sup>®</sup> LQ 20
  - MSUD Maxamaid<sup>®</sup>
  - MSUD Maxamum<sup>®</sup>
  - MSUD Gel<sup>®</sup>
  - MSUD Cooler<sup>®</sup> 10
  - MSUD Cooler<sup>®</sup> 15
  - MSUD Cooler<sup>®</sup> 20
  - MSUD Express<sup>®</sup> 15
  - MSUD Express<sup>®</sup> 20
  - MSUD amino5<sup>®</sup>
-

**Methylmalonic or propionic acidaemia  
(Pages 31-32)**

- MMA/PA Anamix<sup>®</sup> Infant
  - XMTVI Asadon<sup>®</sup>
  - XMTVI Maxamaid<sup>®</sup>
  - XMTVI Maxamum<sup>®</sup>
  - MMA/PA amino5<sup>®</sup>
- 

**Tyrosinaemia (Pages 33-36)**

- TYR Anamix<sup>®</sup> Infant
  - TYR Anamix<sup>®</sup> Junior
  - TYR Anamix<sup>®</sup> Junior LQ
  - TYR Lophlex<sup>®</sup> LQ 20
  - XPHEN TYR Maxamaid<sup>®</sup>
  - XPHEN TYR Maxamum<sup>®</sup>
  - XPHEN TYR Tyrosidon<sup>®</sup>
  - XPTM Tyrosidon<sup>®</sup>
  - TYR Gel<sup>®</sup>
  - TYR Cooler<sup>®</sup> 10
  - TYR Cooler<sup>®</sup> 15
  - TYR Cooler<sup>®</sup> 20
  - TYR Express15<sup>®</sup>
  - TYR Express20<sup>®</sup>
- 

**Fatty Acid Oxidisation Disorder (Page 37)**

- Monogen<sup>®</sup>
  - MCT Procal<sup>®</sup>
  - Lipistart<sup>®</sup>
- 

**CHO Disorder (Page 38)**

- Galactomin 17
  - Galactomin 19
- 

**Ketogenic Diets(Page 39)**

- Ketocal<sup>®</sup>
  - Ketocal<sup>®</sup> 3:1
  - Ketocal<sup>®</sup> 4:1 LQ
  - Betaquik<sup>®</sup>
  - Carbzero
-

## A2.7 Nutritional supplements for metabolic diseases

### Phenylketonuria

#### A2.7 Nutritional supplements for metabolic diseases

Nutritional supplement for the dietary management of proven phenylketonuria in children from birth to 3 years

#### PKU Anamix<sup>®</sup> Infant

Unflavoured, 400g

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine) 13.1 g, carbohydrate 49.5 g, fat 23 g, fibre 5.3 g, energy 1915 kJ (457 kcal)/100g, with vitamins, minerals, and trace elements; *standard dilution* (15%) provides protein equivalent 2 g, carbohydrate 7.4 g, fat 3.5 g, fibre 800 mg, energy 287kJ (69kcal)/100 ml.

#### A2.7 Nutritional supplements for metabolic diseases

Nutritional supplement for the dietary management of proven phenylketonuria in children from 6 months to 5 years

#### PKU Anamix<sup>®</sup> First Spoon

12.5g Sachets

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine) 5 g, carbohydrate 4.8 g, fat 150 mg, fibre nil, energy 168 kJ (41 kcal)/12.5-g sachet, with vitamins, minerals, and trace elements

#### A2.7 Nutritional supplements for metabolic diseases

Nutritional supplement for the dietary management of phenylketonuria in children 1–10 years

#### PKU Anamix<sup>®</sup> Junior

Chocolate, Berry, Orange, Vanilla, Neutral: 30×36g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine) 10 g, carbohydrate 11.5 g, fat 4.5 g, fibre 4g, energy 566 kJ (135 kcal)/36-g sachet, with vitamins, minerals, and trace elements. Flavours: chocolate, vanilla, berry, orange or neutral

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary supplement of phenylketonuria in children 1–10 years**

**PKU Anamix® Junior LQ**

Berry, orange, or unflavoured, 125ml carton

**Liquid**, protein equivalent (essential and non-essential amino acids except phenylalanine) 10 g, carbohydrate 8.8 g, fat 4.8 g, fibre 310 mg, energy 497 kJ (118 kcal)/125 ml, with vitamins, minerals, and trace elements. Lactose-free.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of proven phenylketonuria in children over 8 years and adults including pregnant women**

**Lophlex®**

Flavours: berry, orange or unflavoured, 30×27.8g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine) 20 g, carbohydrate 2.5 g, fat 60 mg, fibre 220 mg, energy 385 kJ (91 kcal)/27.8-g sachet, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children over 4 years and adults including pregnant women**

**PKU Lophlex® LQ 10**

Flavours: berry, orange, juicy citrus, juicy tropical, juicy berries, juicy orange (energy 246 kJ (58 kcal), 62.5 ml carton

**Liquid**, protein equivalent (essential and non-essential amino acids except phenylalanine) 10 g, carbohydrate 4.4 g, fibre 250 mg, energy 245 kJ (58 kcal)/62.5 ml, with vitamins, minerals, and trace elements

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children over 4 years and adults including pregnant women**

**PKU Lophlex® LQ 20**

Flavours: berry, orange, juicy tropical, juicy citrus, juicy berries, juicy orange (fibre 500 mg, energy 493kJ (115kcal), 125ml carton

**Liquid**, protein equivalent (essential and non-essential amino acids except phenylalanine) 20 g, carbohydrate 8.8 g, fibre 500 mg, energy 490 kJ (115 kcal)/125ml, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children over 4 years and adults including pregnant women**

**PKU Lophlex<sup>®</sup> Sensation 20**

Flavours: berry or orange, 3×109g pot

**Semi-solid**, protein equivalent (containing essential and non-essential amino acids except phenylalanine) 20g, carbohydrate 20.2g, fibre 1g, energy 706kJ (166kcal)/109 g, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria. Suitable for 8 years and over.**

**Phlexy-10<sup>®</sup> Exchange System**

**Capsules**, protein equivalent (essential and non-essential amino acids except phenylalanine) 416.5mg/capsule, 200-cap pack **(Average 120 capsules/day)**

**Tablets**, protein equivalent (essential and non-essential amino acids except phenylalanine) 833 mg tablet, 75-tab pack **(Average 60 tablets/day)**

**Drink Mix, powder**, protein equivalent (essential and non-essential amino acids except phenylalanine) 8.33 g, carbohydrate 8.8 g/20-g sachet. Apple-black currant, citrus, or tropical flavour, 30×20-g sachet. **(Average 6 sachets/day)**

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children and adults**

**PK Aid-4<sup>®</sup>**

Unflavoured, 500g

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine) 79g, carbohydrate 4.5g, fat nil, energy 1420kJ (334 kcal)/100 g.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of proven phenylketonuria in children over 4 years**

**Add-Ins<sup>®</sup>**

Unflavoured, 60×18.2 g sachets

**Powder**, protein equivalent (containing essential and non-essential amino acids except phenylalanine) 10g, carbohydrate nil, fat 5.1g, energy 359kJ (86kcal)/18.2-g sachet, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of proven phenylketonuria in children over 8 years**

**Easiphen®**

Flavours: forest berries, orange, or tropical fruit, 250 ml carton

**Liquid**, protein equivalent (containing essential and non-essential amino acids except phenylalanine) 6.7g, carbohydrate 5.1g, fat 2g, energy 275kJ (65 kcal)/100ml with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children 1– 8 years**

**XP Maxamaid®**

Orange flavour or unflavoured, 500g

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine) 25g, carbohydrate 51g, fat less than 500mg, energy 1311kJ (309 kcal)/100g, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children over 8 years**

**XP Maxamum®**

Flavours: orange, unflavoured. 30×50g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine) 39g, carbohydrate 34g, fat less than 500mg, energy 1260kJ (297kcal)/100g, with vitamins, minerals, and trace elements.

Unflavoured, 30×25g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except leucine, isoleucine, and valine) 15g, carbohydrate 3.8g, fat less than 100mg, energy 315kJ (75 kcal)/25g, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**For the dietary management of phenylketonuria in children under 12 months**

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children from 6 months to 10 years**

**PKU Squeezeie®**

Flavour: apple-banana, 30×85g pouch

**Liquid**, protein equivalent (essential and non-essential amino acids except phenylalanine) 10g, carbohydrate 22.5g, fat 500mg, energy 565kJ (135 kcal)/85g, with vitamins, minerals, and trace elements.



**A2.7 Nutritional supplements for metabolic diseases**

**For use as part of the low-protein dietary management of phenylketonuria in children 1–10 years**

**PKU gel<sup>®</sup>**

Orange, raspberry, or unflavoured, 30x24g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine) 10g, carbohydrate 8.9g, fat less than 100mg, energy 318kJ (76 kcal)/24g, with vitamins, minerals, and trace elements. Orange, raspberry, or unflavoured (carbohydrate 10.3g, energy 339 kJ (81 kcal)/24g),

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children over 3 years**

**PKU Cooler10<sup>®</sup>**

Unflavoured (white) or flavoured (orange, purple, or red), 30x87 ml

**Liquid**, protein equivalent (essential and non-essential amino acids except phenylalanine) 10g, carbohydrate 5.1g, energy 258kJ (6kcal)/87-ml pouch, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children over 3 years**

**PKU Cooler15<sup>®</sup>**

Unflavoured (white) or flavoured (orange, purple, or red), 30x130 ml

**Liquid**, protein equivalent (essential and non-essential amino acids except phenylalanine) 15g, carbohydrate 7.8g, energy 386 kJ (92kcal)/130-ml pouch, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children over 3 years**

**PKU Cooler20®**

Unflavoured (white) or flavoured (orange, purple, or red), 30x174 ml

**Liquid**, protein equivalent (essential and non-essential amino acids except phenylalanine) 20g, carbohydrate 10.2g, energy 517kJ (124kcal)/174-ml pouch, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children over 3 years**

**PKU Air 15®**

flavoured (green, gold, red, or white), 30x130 ml

**Liquid**: protein equivalent (essential and non-essential amino acids except phenylalanine) 15g, fat 0.8g, carbohydrate 2.0g, energy 316 kJ (75kcal)/130-ml pouch, with vitamins, minerals, and trace elements

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children over 3 years**

**PKU Air 20®**

flavoured (green, gold, red, or white), 30x174 ml

**Liquid**: protein equivalent (essential and non-essential amino acids except phenylalanine) 20g, fat 1.0g, carbohydrate 2.6g, energy 423 kJ (100kcal)/174-ml pouch, with vitamins, minerals, and trace elements

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children over 3 years**

**PKU Express15®**

Lemon, orange, tropical or unflavoured, 30x25 g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine) 15g, carbohydrate 2.4 g, energy 293 kJ (70kcal)/25g, with vitamins, minerals, and trace elements. Lemon, orange, tropical, or unflavoured (carbohydrate 3.4 g, energy 310 kJ (74kcal)/25g),

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children over 3 years**

**PKU Express20®**

Lemon, orange, tropical or unflavoured, 30x34 g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine) 20g, carbohydrate 3.3g, energy 389kJ (93 kcal)/34g, with vitamins, minerals, and trace elements. Lemon, orange, tropical, or unflavoured (carbohydrate 4.7g, energy 416kJ (99kcal)/34g),

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children over 3 years**

**XPhe Jump10<sup>®</sup>**

flavoured (cola, wild berries, orange, neutral), 30x63 ml

**Liquid:** protein equivalent (essential and non-essential amino acids except phenylalanine) 10g, fat g, carbohydrate g, energy kJ (kcal)/63-ml pouch, with vitamins, minerals, and trace elements

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children over 3 years**

**XPhe Jump 20<sup>®</sup>**

flavoured (cola, wild berries, orange, neutral), 30x125 ml

**Liquid:** protein equivalent (essential and non-essential amino acids except phenylalanine) 20g, fat g, carbohydrate g, energy kJ (kcal)/125-ml pouch, with vitamins, minerals, and trace elements

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in pregnant women with low plasma tyrosine concentrations**

**L-Tyrosine**

100g

**Powder**, L-tyrosine 20g, carbohydrate 76.8g, fat nil, energy 1612kJ (379kcal)/100g

## Other inborn errors of metabolism

### **A2.4.1 High-energy supplements: Carbohydrate**

For use as an emergency regimen in the dietary management of inborn errors of metabolism in adults and children from birth

#### **S.O.S. 10**

30x21g sachet

Powder, carbohydrate 95g, fat nil, fibre nil, protein nil, energy 1590kJ (380kcal)/100g

### **A2.4.1 High-energy supplements: Carbohydrate**

For use as an emergency regimen in the dietary management of inborn errors of metabolism in adults and children from birth

#### **S.O.S. 15**

30x31g sachet

Powder, carbohydrate 95g, fat nil, fibre nil, protein nil, energy 1590kJ (380kcal)/100g

### **A2.4.1 High-energy supplements: Carbohydrate**

For use as an emergency regimen in the dietary management of inborn errors of metabolism in adults and children from birth

#### **S.O.S. 20**

30x 42g sachet

Powder, carbohydrate 95g, fat nil, fibre nil, protein nil, energy 1590kJ (380kcal)/100g

### **A2.4.1 High-energy supplements: Carbohydrate**

For use as an emergency regimen in the dietary management of inborn errors of metabolism in adults and children from birth

#### **S.O.S. 25**

30x52g sachet

Powder, carbohydrate 95g, fat nil, fibre nil, protein nil, energy 1590kJ (380kcal)/100g

**ACBS approved**

**Nutritional supplement used for the dietary management of inborn errors of metabolism requiring a low protein diet. Suitable for 3 years of age.**

**Basecal100<sup>®</sup>**

21.5g sachet

**Powder**, Protein nil, carbohydrate 69.8g, fat 20.7g, energy 1952kJ (465kcal)/100g, with vitamins, minerals, and trace elements.

**ACBS approved**

**Nutritional supplement used for the dietary management of inborn errors of metabolism requiring a low protein diet. Suitable for 3 years of age.**

**Basecal 200<sup>®</sup>**

43g sachet

**Powder**, Protein nil, carbohydrate 69.8 g, fat 20.7g, energy 1952kJ(465 kcal)/100g, with vitamins, minerals, and trace elements.

**A2.4.1 High-energy supplements:Fat**

**Liquid supplements should be diluted before use in child under 5 years**

**Energivit<sup>®</sup>**

400g can

**Powder** provides: carbohydrate 66.7g, fat 25g, energy 2059kJ (492kcal)/100g

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of disorders of protein metabolism including urea cycle disorders in children over 3 years**

**EAA<sup>®</sup> Supplement**

50x 12.5g sachets

**Powder**, protein equivalent (essential amino acids) 5g, carbohydrate 4g, fat nil, energy 151kJ (36kcal)/12.5g, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of disorders of protein metabolism including urea cycle disorders in children over 3 years**

**UCD amino5<sup>®</sup>**

6g sachets

**Powder**, protein equivalent (essential amino acids supplement) 5 g, carbohydrate nil, fat nil, energy 85 kJ (20kcal)/6.6 g

**Nutritional supplement for the dietary management of inborn errors of metabolism for adults and children from birth**

**DocOmega<sup>®</sup>**

30x4g sachets

**Powder**, protein (cows' milk, soya) 100mg, carbohydrate 3.2g, fat 500mg (of which docosahexaenoic acid 200mg), fibre nil, energy 74kJ (18kcal)/4g, with minerals

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of inborn errors of metabolism. Suitable from birth.**

**KeyOmega<sup>®</sup>**

30x4g sachets

**Powder**, protein (cows' milk, soya) 170mg, carbohydrate 2.8g, fat 800mg (of which arachidonic acid 200mg, docosahexaenoic acid 100mg), energy 80kJ (19kcal)/4g

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of inborn errors of amino acid metabolism in adults and children from birth**

**Cystine500<sup>®</sup>**

30x4 g sachets

**Powder**, cystine 500mg, carbohydrate 3.3g, fat nil, energy 63 k (15 kcal)/4g

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of inborn errors of amino acid metabolism in adults and children from birth**

**Valine50<sup>®</sup>**

30x4g sachets

**Powder**, valine 50mg, carbohydrate 3.8g, fat nil, energy 63kJ (15kcal)/4g

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for use in the dietary management of inborn errors of amino acid metabolism in adults and children from birth**

**Isoleucine50<sup>®</sup>**

30x4 g sachets

**Powder**, isoleucine 50mg, carbohydrate 3.8g, fat nil, energy 63kJ (15kcal)/4g

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of inborn errors of amino acid metabolism in adults and children from birth**

**Leucine100<sup>®</sup>**

30x 4g sachets

**Powder**, leucine 100mg, carbohydrate 3.7g, fat nil, energy 63kJ (15kcal)/4 g

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for use in the dietary management of inborn errors of metabolism in adults and children from birth**

**Phenylalanine50<sup>®</sup>**

30x4g sachets

**Powder**, phenylalanine 50mg, carbohydrate 3.8g, fat nil, energy 63kJ (15kcal)/4g

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of inborn errors of amino acid metabolism in adults and children from birth**

**Tyrosine1000<sup>®</sup>**

30x4g sachets

**Powder**, tyrosine 1g, carbohydrate 2.9g, fat nil, energy 63kJ (15 kcal)/4g sachet

**A.2.3.1 Specialised formulas: Infant and child: Soya based formula**

**Suitable for galactokinase deficiency and galactosaemia**

## **Infasoy®**

900g can

**Powder** provides: protein 12.8g, carbohydrate 54.5g, fat 27.3g, energy 2150 kJ(514 kcal)/100g

### **A.2.3.1 Specialised formulas: Infant and child: Soya based formula**

**Suitable for galactokinase deficiency and galactosaemia**

## **Wysoy®**

430g can

**Powder** provides: protein 14g, carbohydrate 54g, fat 27g, energy 2155kJ (515 kcal)/100g

## **Vitamin Supplements**

### **A2.4.2 Vitamin and mineral supplements**

**Vitamin, mineral and trace element supplement for children 3-10 years with restrictive therapeutic diets**

## **Fruitivits®**

**Powder.** Sachet 30 x 6g

### **A2.7 Nutritional supplements for metabolic diseases**

**For use as a vitamin and mineral component of restricted therapeutic diets in children over 11 years and adults with phenylketonuria and similar amino acid abnormalities**

## **Phlexy-Vits®**

**Powder**, vitamins, minerals, and trace elements, 30 × 7-g sachets

**Tablets**, vitamins, minerals, and trace elements, 180-tab pack

### **A2.4.2 Vitamin and mineral supplements**

**Vitamin, mineral and trace element supplement in infants and children with restrictive therapeutic diets**

## **Paediatric Seravit®**

**Powder.** 200g tub, Unflavoured and pineapple(not suitable for under 6 months)



**Miscellaneous**

**A2.5.3 Flavour preparations**

For use with Vitaflo's range of unflavoured protein substitutes for metabolic diseases; not suitable for child under 1 year

**FlavourPac<sup>®</sup>**

Powder 30x4g sachets

**A2.5.3 Flavour preparations**

For use with unflavoured SHS products based on peptides or amino acids; not suitable for child under 6 months

**Modjul<sup>®</sup> Flavour Powder**

**Powder**, flavours: black currant, orange, pineapple, 100g; cherry-vanilla, grapefruit, lemon-lime, 20x5g sachets

**A2.5.3 Flavour preparations**

**Flavour Mix<sup>®</sup>**

**Powder** 60g tub , flavours: banana, chocolate, coffee, lemon-lime, strawberry.

**Milk Replacements**

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria in children over 1 year**

**Loprofin® PKU Drink**

200 ml carton

**Liquid**, protein (cows' milk) 400 mg (phenylalanine 10 mg), lactose 9.4 g, fat 2 g, energy 165 kJ (40 kcal)/100 ml.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria, chronic renal failure and other inborn errors of amino acid metabolism**

**Loprofin® Sno-Pro**

200 ml carton

**Liquid**, protein (cows' milk) 220 mg (phenylalanine 12.5 mg), carbohydrate 8 g, fat 3.8 g, energy 273 kJ (65 kcal)/100 mL. Contains lactose.

**A2.7 Nutritional supplements for metabolic diseases**

**A protein-free nutritional supplement for the dietary management of inborn errors of metabolism in children over 6 months and adults**

**ProZero®**

18 x 250 ml; 6 x 1 litre

**Liquid**, carbohydrate 8.1 g (of which sugars 3.5 g), fat 3.8 g, energy 278 kJ (66 kcal)/100 ml. Contains lactose.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of phenylketonuria, chronic renal failure and other inborn errors of amino acid metabolism**

**Dalia liquid®**

200ml carton

**Liquid**, protein (cow's milk) 0.2g (phenylalanine 6.4mg), carbohydrate 6.4 g (of which sugars 4.8 g), fat 2.6 g, energy 208 kJ (50 kcal)/100 ml. Contains lactose.

## Glutaric Aciduria

### A2.7 Nutritional supplements for metabolic diseases

**Nutritional supplement for the dietary management of proven glutaric aciduria (type 1) in children from birth to 3 years**

#### **GA1 Anamix<sup>®</sup> Infant**

Unflavoured, 400 g

**Powder**, protein equivalent (essential and non-essential amino acids except lysine, and low tryptophan) 13.1 g, carbohydrate 49.5 g, fat 23 g, fibre 5.3 g, energy 1915 kJ (457 kcal)/100 g, with vitamins, minerals, and trace elements; *standard dilution* (15%) provides protein equivalent 2 g, carbohydrate 7.4 g, fat 3.5 g, fibre 800 mg, energy 287 kJ (69 kcal)/100 ml

### A2.7 Nutritional supplements for metabolic diseases

**Nutritional supplement for type 1 glutaric aciduria in children and adults; requires additional source of vitamins, minerals and trace elements**

#### **XLYS, TRY Glutaridon<sup>®</sup>**

Unflavoured, 2 × 500 g

**Powder**, protein equivalent (essential and non-essential amino acids except lysine and tryptophan) 79 g, carbohydrate 4 g, energy 1411 kJ (332 kcal)/100 g.

### A2.7 Nutritional supplements for metabolic diseases

**Nutritional supplement for dietary management of type 1 glutaric aciduria. Suitable for children aged 1 to 8 years**

#### **XLYS, Low TRY, Maxamaid<sup>®</sup>**

Unflavoured, 500 g

**Powder**, protein equivalent (essential and non-essential amino acids except lysine, and low tryptophan) 25 g, carbohydrate 51 g, fat less than 500 mg, energy 1311 kJ (309 kcal)/100 g, with vitamins, minerals, and trace elements.

### A2.7 Nutritional supplements for metabolic diseases

**Nutritional supplement for dietary management of type 1 glutaric aciduria in children 6 months–10 years**

#### **GA Gel<sup>®</sup>**

Unflavoured 30 × 24-g sachets

**Gel**, protein equivalent (essential and non-essential amino acids except lysine, and low tryptophan) 10 g, carbohydrate 10.3 g, fat trace, energy 339 kJ (81 kcal)/24 g, with vitamins, minerals, and trace elements.

ACBS approved

Nutritional supplement for dietary management of type 1 glutaric aciduria. Suitable for 3 years

**GA amino5<sup>®</sup>**

6g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except lysine, and has Low Tryptophan) 5 g, carbohydrate nil, fat less than nil, energy 85 kJ (20kcal)/6 g

## Glycogen storage disease

**A2.7 Nutritional supplements for metabolic diseases**

A nutritional supplement for use in the dietary management of glycogen storage disease and other metabolic conditions where a constant supply of glucose is essential. Not suitable for use in children under 2 years

**Glycosade<sup>®</sup>**

30 × 60 g sachets

**Powder**, protein 200 mg, carbohydrate (maize starch) 47.6 g, fat 100 mg, fibre less than 600 mg, energy 803 kJ (192 kcal)/60 g

## Homocystinuria or hypermethioninaemia

**A2.7 Nutritional supplements for metabolic diseases**

Nutritional supplement for the dietary management of proven vitamin B<sub>6</sub> non-responsive homocystinuria or hypermethioninaemia in children from birth to 3 years

**HCU Anamix<sup>®</sup> Infant**

Unflavoured, 400 g

**Powder**, protein equivalent (essential and non-essential amino acids except methionine) 13.1 g, carbohydrate 49.5 g, fat 23 g, fibre 5.3 g, energy 1915 kJ (457 kcal)/100 g, with vitamins, minerals, and trace elements; *standard dilution* (15%) provides protein equivalent 2 g, carbohydrate 7.4 g, fat 3.5 g, fibre 800 mg, energy 287 kJ (69 kcal)/100 ml.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of homocystinuria in children over 3 years**

**HCU Lophlex® LQ 20**

Juicy berries flavour, 125 ml

**Liquid**, protein equivalent (essential and non-essential amino acids except methionine) 20 g, carbohydrate 8.8 g, fat 440 mg, energy 509 kJ (120 kcal)/125 ml, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of hypermethioninaemia or vitamin B<sub>6</sub> non-responsive homocystinuria in children over 8 years**

**HCU LV®**

Unflavoured or tropical flavour, 30 × 27.8 g sachets

**Powder**, protein (essential and non-essential amino acids except methionine) 20 g, carbohydrate 2.5 g, fat 190 mg, energy 390 kJ (92 kcal)/27.8-g sachet, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of hypermethioninaemia or homocystinuria in children**

**XMET Homidon®**

Unflavoured, 500 g

**Powder**, protein equivalent (essential and non-essential amino acids, except methionine) 77 g, carbohydrate 4.5 g, fat nil, energy 1386 kJ (326 kcal)/100 g.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of hypermethioninaemia or homocystinuria. Suitable for children aged 1-8 years**

**XMET Maxamaid®**

Unflavoured, 500 g

**Powder**, protein equivalent (essential and non-essential amino acids except methionine) 25 g, carbohydrate 51 g, fat less than 500 mg, energy 1311 kJ (309 kcal)/100 g, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of hypermethioninaemia or homocystinuria. Suitable for children over 8 years, adults and pregnant women.**

**XMET Maxamum®**

Unflavoured, 500 g

**Powder**, protein equivalent (essential and non-essential amino acids except methionine) 39 g, carbohydrate 34 g, fat less than 500 mg, energy 1260 kJ (297 kcal)/100 g, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**A methionine-free protein substitute for use as a nutritional supplement for the dietary management of children 1–10 years with homocystinuria**

**HCU gel®**

Unflavoured, 30 × 24 g sachets

**Powder**, protein (essential and non-essential amino acids except methionine) 10 g, carbohydrate 10.3 g, fat 20 mg, energy 339 kJ (81 kcal)/24 g with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**A methionine-free protein substitute for use as a nutritional supplement in children over 3 years with homocystinuria**

**HCU Cooler® 10**

Liquid. Red Flavour, 87ml

**Liquid**, protein (essential and non-essential amino acids except methionine) 10 g, carbohydrate 4.7 g, fat 0.3 mg, energy 261kJ (62kcal)/87ml with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**A methionine-free protein substitute for use as a nutritional supplement in children over 3 years with homocystinuria**

**HCU Cooler® 15**

Orange or red flavour, 30 × 130 ml pouch

**Liquid**, protein (essential and non-essential amino acids except methionine) 15 g, carbohydrate 7 g, fat 500 mg, energy 393 kJ (92 kcal)/130 ml, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**A methionine-free protein substitute for use as a nutritional supplement in children over 3 years with homocystinuria**

**HCU Cooler® 20**

Liquid, 174ml

**Liquid**, protein (essential and non-essential amino acids except methionine) 10 g, carbohydrate 4.7 g, fat 0.3 mg, energy 526kJ (124kcal)/174ml with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**A methionine-free protein substitute for use as a nutritional supplement in children over 8 years with homocystinuria**

**HCU Express® 15**

Unflavoured, 30 × 25 g sachets

**Powder**, protein (essential and non-essential amino acids except methionine) 15 g, carbohydrate 3.8 g, fat 30 mg, energy 315 kJ (75.3 kcal)/25 g with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**A methionine-free protein substitute for use as a nutritional supplement in children over 8 years with homocystinuria**

**HCU Express® 20**

Unflavoured, 30 × 34 g sachets

**Powder**, protein (essential and non-essential amino acids except methionine) 20 g, carbohydrate 4.7 g, fat 70 mg, energy 416 kJ (99 kcal)/34 g with vitamins, minerals, and trace elements.

## Hyperlysinaemia

### A2.7 Nutritional supplements for metabolic diseases

Nutritional supplement for the dietary management of proven hyperlysinaemia in children from birth to 3 years

#### **HYPER LYS Anamix<sup>®</sup> Infant**

Unflavoured, 400 g

**Powder**, protein equivalent (essential and non-essential amino acids except lysine) 13.1 g, carbohydrate 49.5 g, fat 23 g, fibre 5.3 g, energy 1915 kJ (457 kcal)/100 g, with vitamins, minerals, and trace elements; *standard dilution* (15%) provides protein equivalent 2 g, carbohydrate 7.4 g, fat 3.5 g, fibre 800 mg, energy 287 kJ (69 kcal)/100 ml.

### A2.7 Nutritional supplements for metabolic diseases

Nutritional supplement for the dietary management of hyperlysinaemia. Suitable for children aged 1-8 years

#### **XLYS Maxamaid<sup>®</sup>**

Unflavoured, 500 g

**Powder**, protein equivalent (essential and non-essential amino acids except lysine) 25 g, carbohydrate 51 g, fat less than 500 mg, energy 1311 kJ (309 kcal)/100 g with vitamins, minerals, and trace elements.



## Isovaleric acidaemia

### A2.7 Nutritional supplements for metabolic diseases

**Nutritional supplement for the dietary management of proven isovaleric acidaemia or other proven disorders of leucine metabolism in children from birth to 3 years**

#### **IVA Anamix<sup>®</sup> Infant**

Unflavoured, 400g

**Powder**, protein equivalent (essential and non-essential amino acids except leucine) 13.1g, carbohydrate 49.5g, fat 23g, fibre 5.3g, energy 1915kJ (457kcal)/100g, with vitamins, minerals, and trace elements; *standard dilution* (15%) provides protein equivalent 2g, carbohydrate 7.4g, fat 3.5g, fibre 800mg, energy 287kJ (69kcal)/100 ml.

### A2.7 Nutritional supplements for metabolic diseases

**Nutritional supplement for the dietary management of isovaleric acidaemia in children.**

#### **XLEU Faladon<sup>®</sup>**

Unflavoured, 200g

**Powder**, protein equivalent (essential and non-essential amino acids except leucine) 77g, carbohydrate 4.5g, fat nil, energy 1386kJ (326kcal)/100g.

### A2.7 Nutritional supplements for metabolic diseases

**Nutritional supplement for the dietary management of isovaleric acidaemia. Suitable for children aged 1-8 years**

#### **XLEU Maxamaid<sup>®</sup>**

Unflavoured, 500g

**Powder**, protein equivalent (essential and non-essential amino acids except leucine) 25g, carbohydrate 51g, fat less than 500mg, energy 1311kJ (309 kcal)/100g with vitamins, minerals, and trace elements.

## Maple syrup urine disease

### A2.7 Nutritional supplements for metabolic diseases

Nutritional supplement for the dietary management of proven maple syrup urine disease in children from birth to 3 years

#### MSUD Anamix<sup>®</sup> Infant

Unflavoured, 400g

**Powder**, protein equivalent (essential and non-essential amino acids except isoleucine, leucine, and valine) 13.1g, carbohydrate 49.5g, fat 23g, fibre 5.3g, energy 1915 kJ (457 kcal)/100g, with vitamins, minerals, and trace elements; *standard dilution* (15%) provides protein equivalent 2 g, carbohydrate 7.4g, fat 3.5g, fibre 800mg, energy 287kJ(69kcal)/100ml.

### A2.7 Nutritional supplements for metabolic diseases

Nutritional supplement for the dietary management of maple syrup urine disease in children 1–10 years

#### MSUD Anamix<sup>®</sup> Junior

Unflavoured, 30×29g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except isoleucine, leucine, and valine) 8.4g, carbohydrate 11g, fat 3.9g, energy 474kJ (113 kcal)/29g sachet, with vitamins, minerals, and trace elements.

### A2.7 Nutritional supplements for metabolic diseases

Nutritional supplement for the dietary management of maple syrup urine disease in children 1–10 years

#### MSUD Anamix<sup>®</sup> Junior LQ

Orange flavour, 125ml carton

**Liquid**, protein equivalent (essential and non-essential amino acids except isoleucine, leucine, and valine) 10g, carbohydrate 8.8g, fat 4.8g, fibre 310mg, energy 497kJ(118kcal)/125ml, with vitamins, minerals, and trace elements. Lactose-free.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of maple syrup urine disease and related conditions in children and adults where it is necessary to limit the intake of branched chain amino acids**

**MSUD Aid III<sup>®</sup>**

Unflavoured, 500g

**Powder**, protein equivalent (essential and non-essential amino acids except isoleucine, leucine, and valine) 77g, carbohydrate 4.5g, fat nil, energy 1386kJ (326kcal)/100g.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of maple syrup urine disease in children over 3 years**

**MSUD Lophlex<sup>®</sup> LQ 20**

Juicy berries flavour, 125ml

**Liquid**, protein equivalent (essential and non-essential amino acids except isoleucine, leucine, and valine) 20g, carbohydrate 8.8g, fat less than 500mg, energy 509kJ (120kcal)/125ml, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of maple syrup urine disease. Suitable for children aged 1-8 years**

**MSUD Maxamaid<sup>®</sup>**

Unflavoured, 500g

**Powder**, protein equivalent (essential and non-essential amino acids except isoleucine, leucine, and valine) 25g, carbohydrate 51g, fat less than 500mg, energy 1311kJ (309kcal)/100g, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of maple syrup urine disease. Suitable for children over 8 years of age, adults and pregnant women.**

**MSUD Maxamum<sup>®</sup>**

Orange flavour or unflavoured, 500g

**Powder**, protein equivalent (essential and non-essential amino acids except isoleucine, leucine, and valine) 39g, carbohydrate 34g, fat less than 500mg, energy 1260 kJ (297kcal)/100g, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of maple syrup urine disease in children 1–10 years**

**MSUD Gel<sup>®</sup>**

Unflavoured, 30×24g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except leucine, isoleucine, and valine) 10g, carbohydrate 10.3g, fat less than 100mg, energy 339kJ (81kcal)/24g, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of maple syrup urine disease in children over 3 years and adults**

**MSUD Cooler<sup>®</sup> 10**

**Liquid**, protein equivalent (essential and non-essential amino acids except leucine, isoleucine, and valine) 10g, carbohydrate 4.7 g, fat 0.3g, energy 261 kJ (62 kcal)/87ml pouch, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of maple syrup urine disease in children over 3 years and adults**

**MSUD Cooler<sup>®</sup> 15**

Orange or red flavour, 30×130 ml

**Liquid**, protein equivalent (essential and non-essential amino acids except leucine, isoleucine, and valine) 15g, carbohydrate 7g, fat 500mg, energy 393kJ (92kcal)/130ml pouch, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of maple syrup urine disease in children over 3 years and adults**

**MSUD Cooler<sup>®</sup> 20**

Red Flavour, 30×174ml

**Liquid**, protein equivalent (essential and non-essential amino acids except leucine, isoleucine, and valine) 20g, carbohydrate 9.4g, fat 0.7g, energy 526kJ (124kcal)/174ml pouch, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of maple syrup urine disease in children over 8 years and adults**

**MSUD Express® 15**

Unflavoured, 30×25 g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except leucine, isoleucine, and valine) 15g, carbohydrate 3.8g, fat less than 100mg, energy 315kJ (75kcal)/25g, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of maple syrup urine disease in children over 8 years and adults**

**MSUD Express® 20**

Unflavoured, 30×34 g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except leucine, isoleucine, and valine) 20g, carbohydrate 4.7g, fat less than 100mg, energy 416kJ (99kcal)/34g, with vitamins, minerals, and trace elements.

**ACBS approved**

**Nutritional supplement for the dietary management of maple syrup urine disease. Suitable from 3 years**

**MSUD amino5®**

Powder. 6g sachet

**Powder**, protein equivalent (essential and non-essential amino acids except isoleucine, leucine, and valine) 5g, carbohydrate nil, fat less than nil, energy 85kJ (20kcal)/6g

## Methylmalonic or propionic acidaemia

### A2.7 Nutritional supplements for metabolic diseases

#### Nutritional supplement for the dietary management of methylmalonic acidaemia or propionic acidaemia

##### **MMA/PA Anamix<sup>®</sup> Infant**

Unflavoured, 400g

**Powder**, protein equivalent (essential and non-essential amino acids except methionine, threonine, and valine, and low isoleucine) 13.1g, carbohydrate 49.5g, fat 23g, fibre 5.3g energy 1915kJ(457kcal)/100g, with vitamins, minerals, and trace elements. Standard dilution (15%) provides protein equivalent 2g, carbohydrate 7.4g, fat 3.5g, fibre 800mg, energy 287kJ(69kcal)/100ml.

### A2.7 Nutritional supplements for metabolic diseases

#### Nutritional supplement for the dietary management of methylmalonic acidaemia or propionic acidaemia in children and adults

##### **XMTVI Asadon<sup>®</sup>**

Unflavoured, 200g

**Powder**, protein equivalent (essential and non-essential amino acids except methionine, threonine, and valine, and low isoleucine) 77g, carbohydrate 4.5g, fat nil, energy 1386kJ (326kcal)/100 g.

**Powder**, protein equivalent (essential and non-essential amino acids except methionine, threonine, and valine, and low isoleucine) 25g, carbohydrate 51g, fat less than 500mg, energy 1311kJ (309kcal)/100g, with vitamins, minerals, and trace elements.

### A2.7 Nutritional supplements for metabolic diseases

#### Nutritional supplement for the dietary management of methylmalonic acidaemia or propionic acidaemia

##### **XMTVI Maxamaid<sup>®</sup>**

Unflavoured, 500 g

**Powder**, protein equivalent (essential and non-essential amino acids except methionine, threonine, and valine, and low isoleucine) 25 g, carbohydrate 51 g, fat less than 500 mg, energy 1311 kJ (309 kcal)/100 g, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of methylmalonic acidaemia or propionic acidaemia.**

**Suitable for children aged over 8 years**

**XMTVI Maxamum<sup>®</sup>**

Unflavoured, 500g

**Powder**, protein equivalent (essential and non-essential amino acids except methionine, threonine, and valine, and low isoleucine) 39 g, carbohydrate 34 g, fat less than 500 mg, energy 1260 kJ (297 kcal)/100 g, with vitamins, minerals, and trace elements.

**ACBS approved**

**Nutritional supplement for the dietary management of proven methylmalonic acidaemia or propionic acidaemia in children from 3 years**

**MMA/PA amino5<sup>®</sup>**

6g sachet

**Powder**, protein equivalent (essential and non-essential amino acids except methionine, threonine, and valine, and low isoleucine ) 5 g, carbohydrate nil, fat less than nil, energy 85 kJ (20kcal)/6 g

## Tyrosinaemia

### A2.7 Nutritional supplements for metabolic diseases

**Nutritional supplement for the dietary management of proven tyrosinaemia where plasma-methionine concentrations are normal in children from birth to 3 years**

#### **TYR Anamix<sup>®</sup> Infant**

Unflavoured, 400g (5g measuring scoop provided)

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine and tyrosine) 13.1g, carbohydrate 49.5g, fat 23g, fibre 5.3g, energy 1915kJ (457kcal)/100g, with vitamins, minerals, and trace elements; *standard dilution* (15%) provides protein equivalent 2g, carbohydrate 7.4g, fat 3.5g, fibre 800mg, energy 287kJ (69kcal)/100 ml.

### A2.7 Nutritional supplements for metabolic diseases

**Nutritional supplement for the dietary management of proven tyrosinaemia in children 1–10 years**

#### **TYR Anamix Junior**

Unflavoured, 30x29 g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine and tyrosine) 8.4g, carbohydrate 11g, fat 3.9g, energy 475kJ (113 kcal)/29g sachet, with vitamins, minerals, and trace elements.

### A2.7 Nutritional supplements for metabolic diseases

**Nutritional supplement for the dietary management of tyrosinaemia type 1 (when nitisinone (NTBC) is used, see section 9.8.1), type II, and type III, in children over 1 year**

#### **TYR Anamix<sup>®</sup> Junior LQ**

Orange flavour, 36x125 ml bottle

**Liquid**, protein equivalent (essential and non-essential amino acids except phenylalanine and tyrosine) 10g, carbohydrate 8.8g, fat 4.8g, fibre 310mg, energy 500kJ (119 kcal)/125 ml, with vitamins, minerals and trace elements

### A2.7 Nutritional supplements for metabolic diseases

**Nutritional supplement for the dietary management of tyrosinaemia in children over 3 years**

#### **TYR Lophlex<sup>®</sup> LQ 20**

Juicy berries flavour, 125ml

**Liquid**, protein equivalent (essential and non-essential amino acids except phenylalanine and tyrosine) 20g, carbohydrate 8.8g, fat less than 500mg, fibre 500mg, energy 509kJ (120 kcal)/125ml, with vitamins, minerals, and trace elements.



**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of tyrosinaemia in children 1–8 years**

**XPHEN TYR Maxamaid®**

Unflavoured, 500g

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine and tyrosine) 25g, carbohydrate 51g, fat less than 500mg, energy 1311 kJ (309kcal)/100g, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of tyrosinaemia in children over 8 years of age and adults including pregnant women**

**XPHEN TYR Maxamum®**

Unflavoured, 500g

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine and tyrosine) 20g, carbohydrate 34g, fat less than 500mg, energy 1260 kJ (297kcal)/100g, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the management of tyrosinaemia in infants, children and adults where plasma-methionine concentrations are normal.**

**XPHEN TYR Tyrosidon®**

Unflavoured, 500g

**Powder**, protein equivalent (essential and non-essential amino acids except phenylalanine and tyrosine) 77g, carbohydrate 4.5g, fat nil, energy 1386kJ (326 kcal)/100g.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of tyrosinaemia type I in children and adults where plasma-methionine concentrations are above normal**

**XPTM Tyrosidon®**

Unflavoured, 500g

**Powder**, protein equivalent (essential and non-essential amino acids except methionine, phenylalanine, and tyrosine) 77g, carbohydrate 4.5g, fat nil, energy 1386kJ (326 kcal)/100g.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of tyrosinaemia in children 1–10 years**

**TYR Gel<sup>®</sup>**

Unflavoured, 30×24g sachets

**Gel**, protein equivalent (essential and non-essential amino acids except tyrosine and phenylalanine) 10g, carbohydrate 10.3g, fat less than 100mg, energy 339 kJ (81kcal)/24g, with vitamins, minerals and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of tyrosinaemia in children over 3 years**

**TYR Cooler<sup>®</sup> 10**

Red flavour 87ml

**Liquid**, protein equivalent (essential and non-essential amino acids except tyrosine and phenylalanine) 10g, carbohydrate 4.7g, fat 0.3g, energy 261kJ (62 kcal)/87ml, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of tyrosinaemia in children over 3 years**

**TYR Cooler<sup>®</sup> 15**

Orange or red flavour, 30x130 ml pouch

**Liquid**, protein equivalent (essential and non-essential amino acids except tyrosine and phenylalanine) 15g, carbohydrate 7g, fat 500mg, energy 393kJ (92 kcal)/130ml, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of tyrosinaemia in children over 3 years**

**TYR Cooler<sup>®</sup> 20**

Red flavour 174ml

**Liquid**, protein equivalent (essential and non-essential amino acids except tyrosine and phenylalanine) 20g, carbohydrate 9.4g, fat 0.7g, energy 526kJ (124 kcal)/174ml, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of tyrosinaemia in children over 8 years**

**TYR Express15<sup>®</sup>**

Unflavoured, 30×25 g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except tyrosine and phenylalanine) 15g, carbohydrate 3.4g, fat less than 100mg, energy 310kJ (74kcal)/25g, with vitamins, minerals, and trace elements.

**A2.7 Nutritional supplements for metabolic diseases**

**Nutritional supplement for the dietary management of tyrosinaemia in children over 8 years**

**TYR Express20<sup>®</sup>**

Unflavoured, 30×34 g sachets

**Powder**, protein equivalent (essential and non-essential amino acids except tyrosine and phenylalanine) 20g, carbohydrate 4.7g, fat less than 100mg, energy 416kJ (99kcal)/34g, with vitamins, minerals, and trace elements.

## Fatty Acid Oxidation Disorder

### A.2.3.1 Specialised formulas: Infant and child: MCT-enhanced formula

Specialised formulas are suitable for infants from birth unless otherwise indicated

#### **Monogen®**

Can: 400g

**Powder** provides: protein equivalent 12.5g, carbohydrate 68g, fat 11g, energy 1769kJ (420kcal)/100g

### A2.4.1.3 High-energy supplements: protein

Dietary management of disorders of long-chain fatty acid oxidation, fat malabsorption, and other disorders requiring a low LCT, high MCT supplement.  
Not suitable for child under 1 year

#### **MCT Procal®**

30x16 g sachets

**Powder** 16g provides: protein 2g, carbohydrate 3.3g, fat 10.1g, energy 439 kJ (105kcal)

### A.2.3.1 Specialised formulas: Infant and child: MCT-enhanced formula

Specialised formulas are suitable for infants from birth unless otherwise indicated

#### **Lipistart®**

Can: 400g

## CHO Disorder

### A2.3.1 Specialised formulas: Infant and child: Residual lactose formula

Specialised formulas are suitable for infants from birth unless otherwise indicated

#### **Galactomin 17<sup>®</sup>**

Can: 400g. Unflavoured

**Powder** provides: protein equivalent 12.3g, carbohydrate 55.3g, fat 27.2g, energy 2155kJ (515kcal)/100g

### A2.3.1 Specialised formulas: Infant and child: Fructose-based formula

Suitable for infants from birth

#### **Galactomin 19<sup>®</sup>**

Can: 400g

**Powder** provides: protein equivalent 14.6g, carbohydrate 49.7g, fat 30.8g, energy 2233kJ (534kcal)/100g

## Ketogenic Diets

### A2.3.2 Specialised formulas for specific clinical conditions

Nutritional supplement as part of a ketogenic diet, suitable for children over 1 year

#### **KetoCal®**

Can: 300g. Vanilla, Unflavoured

**Powder** provides: protein 15.25g, carbohydrate 3g, fat 73g, energy 3011kJ (730kcal)/100g

### A2.3.2 Specialised formulas for specific clinical conditions

Nutritional supplement as part of a ketogenic diet, suitable for children over 6 years

#### **KetoCal® 3:1**

Can: 300g. Unflavoured

**Powder** provides: protein 15.3g, carbohydrate 7.2g, fat 67.7g, energy 2927kJ (699 kcal)/100g

### A2.3.2 Specialised formulas for specific clinical conditions

Nutritional supplement as part of a ketogenic diet, suitable for children over 10 years

#### **KetoCal® 4:1 LQ**

Carton: 237mL. Vanilla

**Liquid** provides: protein 3.09g, carbohydrate 610mg, fat 14.8g, fibre 1.12g, energy 620kJ (150kcal)/100ml

### ACBS approved

Nutritional supplement for use in the ketogenic diet or in dietary management of conditions requiring a source of MCT. Suitable from the age of 3 years

#### **Betaquik®**

250ml carton

**Liquid**, carbohydrate nil, fat 21 g, energy 777kJ (189 kcal)/100ml.

**ACBS approved**

**Nutritional supplement for use in the ketogenic diet or in dietary management of conditions requiring a source of LCT. Suitable from the age of 3 years**

**Carbzero**

250ml carton

**Liquid**, carbohydrate nil, fat 20g, energy 740kJ(180kcal)/100ml. Contains Soya.